

PCTWORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : C08B 37/18, A23L 1/00, 1/308, 1/0528, C13F 3/00	A1	(11) International Publication Number: WO 98/38223 (43) International Publication Date: 3 September 1998 (03.09.98)
(21) International Application Number: PCT/BE98/00015 (22) International Filing Date: 30 January 1998 (30.01.98) (30) Priority Data: 97870029.2 27 February 1997 (27.02.97) EP (34) Countries for which the regional or international application was filed: BE et al. (71) Applicant (for all designated States except US): TIENSE SUIKERRAFFINADERIJ N.V. [BE/BE]; Tervurenlaan 182, B-1150 Brussel (BE). (72) Inventors; and (75) Inventors/Applicants (for US only): DE SOETE, Johan [BE/BE]; Rozenlaan 11, B-3360 Bierbeek (BE). BOOTEN, Karl [BE/BE]; Glabbeekstraat 106, B-3450 Geetbets (BE). DAENEKINDT, Luc [BE/BE]; Lange Haagstraat 40, B-9308 Gijzegem-Aalst (BE). (74) Agents: VAN MALDEREN, Eric et al.; Office Van Malderen, Place Reine Fabiola 6/1, B-1083 Brussels (BE).		(81) Designated States: AL, AU, BA, BB, BG, BR, CA, CN, CU, CZ, DE (Utility model), EE, GE, GW, HU, ID, IL, IS, JP, KP, KR, LC, LK, LR, LT, LV, MG, MK, MN, MX, NO, NZ, PL, RO, SG, SI, SK, SL, TR, TT, UA, US, UZ, VN, YU, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i>
(54) Title: LOW DENSITY FRUCTAN COMPOSITION (57) Abstract The present invention is related to a low density fructan composition having a density equal or less than 0.35 g/ml, to a composition which comprises intimately associated with the fructan one or more elements chosen among the group consisting of maltodextrins, polydextrose, sucrose, polyols and high intensity sweeteners, and to said composition which exhibits instant dispersion properties in an aqueous medium.		

BEST AVAILABLE COPY

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakhstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

5

LOW DENSITY FRUCTAN COMPOSITION10 Field of the invention

The present invention is related to a spray-dried low density fructan composition, which preferably exhibits instant dispersion properties in an aqueous medium, and to a composition comprising it.

15 The present invention is also related to a process for preparing said compositions and to their use.

Background of the invention and state of the art

The patent US-4,303,684 describes a rapidly
20 soluble sweetener composition, its preparation process and improved dry beverages mixes employing it. The sweetener composition presents a low density and comprises a codried intimate mixture from 5 to 85 percent fructose, from 5 to 60 percent dextrinised starch and from 0 to 80 percent
25 sucrose, all percentages being based on the dry weight of the composition.

The preparation process of said composition comprises :

- preparing an aqueous solution comprising on dry solid
30 bases the material indicated above,
- dispersing a gas into the solution, and

- drying the solution in the conditions effective to produce a porous product having the required density.

The obtained sweetener compositions have a wide range of utility, including all the applications in dry food mixes for which sucrose is normally used.

Such compositions could be used in a dry mix for forming a beverage, particularly a carbonated beverage.

British patent GB-2,216,387 describes a sweetener composition made of holospheroids or parts of said spheroids of microcrystalline sucrose, generally bound to crystal sucrose, and which may contain one or more high intensity sweeteners.

These sweetener compositions are prepared by spray drying of sucrose syrup with simultaneous injection of inert pressurised gas and generally contacting sprayed syrup during the spray drying step and/or after completion of said step, with crystals of sucrose and preferably by incorporating a high intensity sweetener in the syrup or in the agglomeration step.

The obtained sweeteners are characterised by a low density and could be used to replace ordinary granulated sucrose on a spoon-for-spoon basis.

These compositions are also used as carbohydrate carrier of a suitable bulk density, which is free from dust, is not easily eroded and has the functional properties necessary for food applications, while maintaining some of the visual characteristics of crystalline sugar, particularly the bright appearance or sparkle.

However, these products maintain high contents of sucrose or high calorific saccharides which present several drawbacks for the consumer.

At present, although less energy rich food is required, too much sugar and not enough food fiber are still being consumed.

Therefore, a great need still exists for food compositions which are balanced by a partial or even total replacement of sugar by "sugar substitutes", offering the taste and the physical properties of the traditional food compositions.

Among these "sugar substitutes", natural products like fructans, especially inulin, levan and fructo-oligosaccharides, have been developed for the replacement of sugar in a variety of products. Fructans like inulin or fructo-oligosaccharides are well known for their health improving effects, especially their advantageous nutritional properties favoring the proliferation of the useful intestinal flora (bifidobacteria sp. in particular), the reduction of cholesterol level in the body and providing a good fiber effect. In addition, those fructans are low caloric.

It is also known from the European patent application EP-0692252 that inulin or fructo-oligosaccharides or their derivatives could be used in a functional food or a medicament for carcinogenesis prevention and/or cancer treatment.

Also known is a soluble chicory extract prepared by spray-drying of an extract from roasted chicory roots, which contains about 22.5% weight of fructo-oligosaccharides (manufactured and commercialised by Leroux, France), and is suitable for application in various food preparations.

Inulin and fructo-oligosaccharides are still more expensive than sucrose which limits their general use

by the consumer. However, in order to improve the health of the consumer, a daily intake of only low doses of these fructans is necessary.

Aims of the invention

5 The present invention aims to provide a fructan composition of low density which is easy to portion, to dose or to disperse.

 Another aim of the present invention is related to a composition comprising said fructan
10 composition.

 A further aim of the invention is to provide an improved carrier for a high intensity sweetener which does not present the drawbacks of the carrier of the state of the art, which is low caloric, good for the health, and
15 does not present an unpleasant aftertaste.

 A specific aim of the invention is to provide a composition which exhibits instant dispersion in an aqueous medium.

 A further aim of the present invention is to
20 provide a composition which can be used as a substitute for the usual bulking agents such as, for example, polydextrose, but which has no unpleasant taste or aftertaste.

25 Summary of the invention

 The present invention is related to a spray-dried fructan composition of low density, i.e. said composition having a density (loose) equal or less than 0.35 g/ml, advantageously from 0.08 to 0.30 g/ml,
30 preferably 0.1 to 0.2 g/ml. The fructan composition may consist of one or more homodispersed fructans and/or polydispersed fructans, or any mixture thereof.

Advantageously, the fructans, which can be linear or branched, are chosen among the group consisting of inulin from a non-roasted inulin source, levan, fructo-oligosaccharides and/or derivatives thereof.

5 Derivatives from inulin, levan, fructo-oligosaccharides are derivatives comprising a chemical modification while the fructosyl-fructose linkages are maintained and wherein the chemical modification takes place in one or more than 3 free OH groups of the fructose,
10 respectively linked to the C₂, C₃ or C₆ atoms of the backbone fructose molecule. This chemical modification on the free OH groups can be obtained for example by an esterification reaction like the one described in the International Patent Application WO96/01849.

15 These derivatives are preferably the derivatives described in the documents EP-0657106 and EP-0440074.

According to a preferred embodiment, the composition according to the invention is a composition
20 which comprises intimately associated with the fructan, one or more elements chosen among the group consisting of maltodextrins, polydextrose, sucrose, polyols and high intensity sweeteners. The high intensity sweetener is preferably chosen among the group consisting of aspartame,
25 acesulfame-K, sucralose, saccharin, stevioside, cyclamate, alitame, NHDC, Sweetener 2000 (Nutrasweet Company) or a mixture thereof.

Preferably, in the composition, the weight ratio of fructan to the said one or more elements chosen
30 from the group consisting of maltodextrins, polydextrose, sucrose and polyols may range from 99/1 to 1/99 whereas the high intensity sweetener or mixture of high intensity

sweeteners may be present in a concentration from 0.01% to 20%, preferably from 0.05% to 10% and more preferably from 0.1% to 5% (weight % based on the total weight of the composition being 100%).

5 Another aspect of the present invention is related to an agglomerated composition comprising one of the above-described fructan compositions, which exhibits instant dispersion properties in an aqueous medium.

In the present case, "instant dispersion
10 properties" is understood to mean the fact that the said composition becomes immediately and therefore instantly dispersed when brought in contact with an aqueous medium in concentration regions below as well as above the solubility point.

15 Preferably, said composition which exhibits instant dispersion properties in an aqueous medium is an "agglomerated composition" which is preferably obtained by the process described in the International Patent Application WO94/19973 incorporated hereafter by reference.
20 Preferably, the process should be the one described in claim 4 of the International Patent Application WO94/19973.

An "agglomerated composition" is understood to mean the product which results from the agglomeration performed on a product already in powdered form in order to
25 increase the particle size of said powdered product (such as the low density fructan composition according to the present invention).

Another aspect of the present invention is related to a preparation process of the spray-dried fructan
30 composition according to the invention, which comprises the following steps :

- preparing a suspension of fructan or mixture of fructans in an aqueous medium optionally in the presence of one or more elements chosen among the group consisting of maltodextrins, polydextrose, sucrose, polyols and high intensity sweeteners,
- dispersing an inert gas (such as CO₂) into the suspension, and
- spray-drying the suspension under the conditions effective to produce a fructan composition having the required density (loose) equal or less than 0.35 g/ml, preferably from 0.08 to 0.30 g/ml, more preferably from 0.1 to 0.2 g/ml.

The said suspension of fructan or mixture of fructans in an aqueous medium has a fructan concentration from 10 to 80% weight dry fructan substance, and its temperature is kept below the solution point of the fructan or mixture of fructans.

In order to obtain a composition according to the invention which exhibits instant dispersion properties in an aqueous medium, said preparation process comprises the additional steps of :

- treating the fructan composition present in a powdered form or a granular form, with the aid of water in the liquid phase, an aqueous solution or suspension of the fructan and/or one or more of the above defined other elements with one or more of said other elements in a powdered form or with water in the vapor phase, in an agglomeration chamber in the presence of hot air, and optionally of water vapor to form the agglomerated composition; and
- cooling and sieving the agglomerated composition in order to retain the product of suitable particle size, while

recycling those composition particles which are too fine and those which are oversized.

The latter process steps are described in detail in the International Patent Application WO94/19973, incorporated hereafter by reference.

A further aspect of the present invention is related to the use of the low density fructan composition according to the invention for the preparation of a food, a feed or an ingredient for the preparation of a food or feed composition, having interesting nutritional properties, such as for example, a spoon for spoon sugar replacer and a table top sweetener. The low density fructan composition according to the invention can also be used as a carrier for various products such as e.g. high intensity sweeteners, drugs, flavours, colours and enzymes.

The present invention will be described in detail with reference to the examples for the illustration of the present invention.

Example 1 : Preparation of low bulk density fructan composition

A 39% weight dry substance suspension in water of fructan RAFTILINE® ST (inulin from chicory, average degree of polymerisation (DP) of 10, produced by ORAFTI, Belgium) was prepared by bringing the fructan in suspension under stirring into water of about 60 °C and the suspension was brought by heating to a temperature of 50 to 55 °C. Accordingly CO₂ was added to the suspension (about 5.2 g CO₂/kg suspension), and then it was fed into a fluidised spray dryer of the MSD-20 type in which the main air is introduced through the ceiling around the spray

nozzles. The feed system comprises a buffer tank from which the feed goes through a small Mono pump, and a unit where the CO₂ is added in line, to a large Mono pump, after which the feed is atomised by means of a high pressure nozzle.

5 The spray drying conditions used are as follows :

- temperatures :
- air in (T_{IN}) : 227-230 °C
- air out (T_{OUT}) : 107-110 °C
- 10 - ingoing air of the static fluidised bed (T_{SFB IN}) :
58-67 °C
- powder in the static fluidised bed (T_{SFB POWDER}) :
69-71 °C
- atomisation pressure : 22.10⁵ Pa (22 bar)

15 When leaving the static fluidised bed (SFB), the powder passes two 0.3 m² vibrating fluid beds for further drying and final cooling before it is bagged.

 The bulk density of the spray dried product so obtained was 0.19 g/ml (loose density) and 0.21 g/ml
20 (100x tapped).

 In the said two Vibro Fluidizers (SFB units) the airflow was adjusted in order to blow off some of the fines which were reinjected in the jet stream of the nozzle.

CLAIMS

1. Spray dried fructan composition having a density (loose) equal or less than 0.35 g/ml.
2. Composition according to the claim 1,
5 having a density (loose) comprised between 0.08 and 0.3 g/ml, preferably between 0.1 and 0.2 g/ml.
3. Composition according to claim 1 or claim 2, characterised in that it consists of one or more homodispersed fructans, one or more polydispersed fructans,
10 or a mixture thereof.
4. Composition according to claim 3, characterised in that the fructan is chosen among the group consisting of inulin from a non-roasted inulin source, levan, fructo-oligosaccharides and/or derivatives thereof.
- 15 5. Composition according to any of the preceding claims, comprising intimately associated with the fructan, one or more elements chosen among the group consisting of maltodextrins, polydextrose, polyols, sucrose and high intensity sweeteners.
- 20 6. Composition according to claim 5, wherein the high intensity sweetener is chosen among the group consisting of aspartame, acesulfame-K, sucralose, saccharin, stevioside, cyclamate, alitame, NHDC, Sweetener 2000 or a mixture thereof.
- 25 7. Composition according to any of the preceding claims, characterised in that it exhibits instant dispersion properties in an aqueous medium.
8. Preparation process of the composition according to any of the preceding claims, which comprises
30 the following steps :
 - preparing a suspension of fructan or mixture of fructans in an aqueous medium optionally in the presence of one or

more elements chosen among the group consisting of maltodextrins, polydextrose, sucrose, polyols and high intensity sweeteners,

- dispersing an inert gas into the suspension, and
- 5 - spray-drying the suspension under the conditions effective to produce a fructan composition having the required density (loose) equal or less than 0.35 g/ml.

9. Preparation process according to claim 8, for the preparation of the composition according to claim 10 7, which further comprises the steps of :

- treating the polyfructan composition present in a powdered form or a granular form, with the aid of water in the liquid phase, an aqueous solution or suspension of the fructan and/or one or more elements chosen among the 15 group consisting of maltodextrins, polydextrose, sucrose, polyols and high intensity sweeteners, or with one or more of said elements in powdered form or with water in the vapor phase, in an agglomeration chamber in the presence of hot air, and optionally of water vapor to 20 form the agglomerated composition; and
- cooling and sieving the agglomerated composition in order to retain, the product of suitable particle size, while recycling those composition particles which are too fine and those which are oversized.

25 10. Use of the composition according to any of the claims 1 to 7, for the preparation of a food, a feed or an ingredient for the preparation of a food or feed composition.

30 11. Use of the spray dried fructan composition defined in any of claims 1 to 4 as a carrier for a high intensity sweetener, drugs, flavours, colours and/or enzymes.

INTERNATIONAL SEARCH REPORT

International Application No

PCT/BE 98/00015

A. CLASSIFICATION OF SUBJECT MATTER

IPC 6 C08B37/18 A23L1/00 A23L1/308 A23L1/0528 C13F3/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 C08B A23L C13F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	EP 0 036 738 A (GENERAL FOODS CORPORATION) 30 September 1981 see page 7, line 25 - page 8, line 4; example 1 & US 4 303 684 A cited in the application ---	1,8
A	WO 96 01849 A (TIENSE SUIKERRAFFINADERIJ) 25 January 1996 cited in the application ---	1,8,10
A	WO 93 06744 A (RAFFINERIE TIRLEMONTTOISE SA) 15 April 1993 -----	1,10



Further documents are listed in the continuation of box C.



Patent family members are listed in annex.

* Special categories of cited documents :

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

30 April 1998

Date of mailing of the international search report

20 05 1998

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Caturla Vicente, V

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/BE 98/00015

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 36738 A	30-09-81	US 4303684 A AT 7647 T CA 1144814 A	01-12-81 15-06-84 19-04-83
WO 9601849 A	25-01-96	BE 1008498 A BE 1009708 A AU 3073195 A CA 2193061 A EP 0769026 A FI 970044 A JP 10502678 T NO 965339 A	07-05-96 01-07-97 09-02-96 25-01-96 23-04-97 03-01-97 10-03-98 07-03-97
WO 9306744 A	15-04-93	BE 1005438 A AT 145522 T AT 145520 T AU 673807 B AU 2641692 A AU 673808 B AU 2643592 A WO 9306737 A BE 1005782 A CA 2119763 A CA 2119764 A DE 69215528 D DE 69215528 T DE 69215529 D DE 69215529 T EP 0607187 A EP 0607189 A ES 2094370 T ES 2094932 T JP 6510906 T JP 6510907 T NO 941169 A US 5527556 A	27-07-93 15-12-96 15-12-96 28-11-96 03-05-93 28-11-96 03-05-93 15-04-93 25-01-94 15-04-93 15-04-93 09-01-97 17-04-97 09-01-97 17-04-97 27-07-94 27-07-94 16-01-97 01-02-97 08-12-94 08-12-94 20-04-94 18-06-96

This Page Blank (uspto)